

GIS REGISTRY INFORMATION

SITE NAME: Crivitz Redi-Mix
BRRTS #: 03-38-272835
CLOSURE DATE: 04/22/2003
STREET ADDRESS: N7820 Old Highway 141
CITY: Crivitz

SOURCE PROPERTY GPS COORDINATES (meters in WTM91 projection):

X= 677647 Y= 531667

OFF-SOURCE CONTAMINATION (>ES):

☐ Yes

☒ No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection):

X= Y=

IF YES, STREET ADDRESS 2:

GPS COORDINATES (meters in WTM91 projection):

X= Y=

IF YES, STREET ADDRESS 3:

GPS COORDINATES (meters in WTM91 projection):

X= Y=

IF YES, STREET ADDRESS 4:

GPS COORDINATES (meters in WTM91 projection):

X= Y=

IF YES, STREET ADDRESS 5:

GPS COORDINATES (meters in WTM91 projection):

X= Y=

SOIL CONTAMINATION >GENERIC OR SITE-SPECIFIC RCL:

☐ Yes

☒ No

IF YES, STREET ADDRESS 1:

GPS COORDINATES (meters in WTM91 projection):

Y=

IF YES, STREET ADDRESS 2:

GPS COORDINATES (meters in WTM91 projection):

Y=

CONTAMINATION IN RIGHT OF WAY:

☐ Yes

☒ No

DOCUMENTS NEEDED:

Closure Letter, and any conditional closure letter issued

☒

Copy of most recent deed, including legal description, for all affected properties

☒

Certified survey map or relevant portion of the recorded plat map (if referenced in the legal description) for all affected properties

☐

County Parcel ID number, if used for county, for all affected properties

☐

Location Map which outlines all properties within contaminated site boundaries on USGS topographic map or plat map in sufficient detail to permit the parcels to be located easily (8.5x14" if paper copy). If groundwater standards are exceeded, the map must also include the location of all municipal and potable wells within 1200' of the site.

x

Detailed Site Map(s) for all affected properties, showing buildings, roads, property boundaries, contaminant sources, utility lines, monitoring wells and potable wells. (8.5x14", if paper copy) This map shall also show the location of all contaminated public streets, highway and railroad rights-of-way in relation to the source property and in relation to the boundaries of groundwater contamination exceeding ch. NR 140 ESs and soil contamination exceeding ch. NR 720 generic or site-specific residual contaminant levels.

x

Tables of Latest Groundwater Analytical Results (no shading or cross-hatching)

x

Tables of Latest Soil Analytical Results (no shading or cross-hatching)

Isoconcentration map(s), if required for site investigation (SI) (8.5x14" if paper copy).

The isoconcentration map should have flow direction and extent of groundwater contamination defined. **If not available, include the latest extent of contaminant plume map.**

x

GW: Table of water level elevations, with sampling dates, and free product noted if present

x

GW: Latest groundwater flow direction/monitoring well location map (should be 2 maps if maximum variation in flow direction is greater than 20 degrees)

x

SOIL: Latest horizontal extent of contamination exceeding generic or site-specific RCLs, with one contour.

Geologic cross-sections, if required for SI. (8.5x14" if paper copy)


RP certified statement that legal descriptions are complete and accurate

x

Copies of off-source notification letters (if applicable)

Letter informing ROW owner of residual contamination (if applicable)(public, highway or railroad ROW)

Copy of (soil or land use) deed restriction(s) or deed notice if any required as a condition of closure.



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Peshtigo Service Center
PO Box 208
101 N. Ogden Road
Peshtigo, Wisconsin 54157
Telephone 715-582-5048
FAX 715-582-5005

April 22, 2003

EUGENE GOLLA
CRIVITZ REDI-MIX
N7820 OLD HIGHWAY 141
CRIVITZ WI 54114

SUBJECT: Final Case Closure by Closure Committee with Conditions Met
Crivitz Redi-Mix
N7820 Old Highway 141, Crivitz, WI – Marinette County
WDNR BRRTS # 03-38-272835

Dear Mr. Golla:

On April 7, 2003, your site as described above was reviewed for closure by the Northeast Region Closure Committee. This committee reviews environmental remediation cases for compliance with state laws and standards to maintain consistency in the closure of these cases. On April 15, 2003, you were notified that the Closure Committee had granted conditional closure to this case.

On April 22, 2003, the Department received correspondence indicating that you have complied with the conditions of closure. On this date, the Department received copies of the monitoring well abandonment forms for your site. The Department also received confirmation from your consultant on this date that no investigative or remedial waste remains at the property.

Based on the correspondence and data provided, it appears that your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code. The Department considers this case closed and no further investigation, remediation or other action is required at this time.

Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit:

<http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If there is equipment purchased with PECFA funds remaining at the site, contact the Commerce PECFA Program to determine the method for salvaging the equipment.

Please be aware that this case may be reopened pursuant to s. NR726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety or welfare, or the environment.

The Department appreciates your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-582-5048.

Sincerely,

A handwritten signature in black ink, appearing to read "Cathy Rodda", with a long, sweeping horizontal line extending to the right.

Cathy Rodda
Hydrogeologist
Remediation & Redevelopment Program

cc: Mark Foht – Northern Environmental, 954 Circle Dr., Green Bay, WI 54304-5537
File



State of Wisconsin \ DEPARTMENT OF NATURAL RESOURCES

Jim Doyle, Governor
Scott Hassett, Secretary
Ronald W. Kazmierczak, Regional Director

Peshtigo Service Center
PO Box 208
101 N. Ogden Road
Peshtigo, Wisconsin 54157
Telephone 715-582-5048
FAX 715-582-5005

April 15, 2003

EUGENE GOLLA
CRIVITZ REDI MIX
N7820 OLD HIGHWAY 141
CRIVITZ WI 54114

Subject: *Conditional Case Closure with NR 140 Exemption*
Crivitz Redi-Mix
W7820 Old Highway 141, Crivitz, Wisconsin – Marinette County
WDNR BRRS # 03-38-272835

Dear Mr. Golla:

On April 7, 2003, your request for closure of the case described above was reviewed by the Northeast Region Closure Committee. This committee reviews environmental remediation cases for compliance with state rules and statutes to maintain consistency in the closure of these cases. After careful review of the closure request, the Northeast Region Closure Committee has determined that the petroleum contamination on the site from the former underground storage tank system appears to have been investigated and remediated to the extent practicable under site conditions. Your case meets the screening criteria of s. NR 746.07 or s. NR 746.08, Wis. Adm. Code, and the requirements of ch. NR 726, Wis. Adm. Code and will be closed if the following conditions are satisfied:

MONITORING WELL ABANDONMENT

The monitoring wells at the site must be properly abandoned in compliance with ch. NR 141, Wis. Adm. Code. Documentation of well abandonment must be submitted to me at the Peshtigo DNR office on Form 3300-5B found at www.dnr.state.wi.us/org/water/dgw/gw/ or provided by the Department of Natural Resources.

WASTE AND SOIL PILE REMOVAL

Any remaining waste and/or soil piles generated as part of site investigation or remediation activities must be removed from the site and disposed of or treated in accordance with Department of Natural Resources' rules. Please send a letter advising me that any remaining waste and/or soil piles have been removed once that work is completed.

GROUNDWATER USE RESTRICTION

Your site requires the implementation of a groundwater use restriction for remaining contamination at monitoring well MW-400 and the Sump. Groundwater at these sampling points contains concentrations of contaminants exceeding Wis. Adm. Code ch. NR 140 enforcement standards. Specifically, enforcement standards were exceeded for benzene and naphthalene in

MW-400, and benzene, naphthalene, toluene, and trimethylbenzenes at the Sump. These concentrations require a groundwater use restriction in the form of inclusion on the Groundwater GIS Registry. The required \$250.00 Groundwater GIS Registry fee was paid on February 26, 2003.

When the above conditions have been satisfied, please submit a letter to let me know that applicable conditions have been met, and your case will be closed. Your site will be listed on the DNR Remediation and Redevelopment GIS Registry of Closed Remediation Sites. Information that was submitted with your closure request application will be included on the registry. To review the sites on the GIS Registry web page, visit:


<http://gomapout.dnr.state.wi.us/org/at/et/geo/gwur/index.htm>

If this is a PECFA site, section 101.143, Wis. Stats., requires that PECFA claimants seeking reimbursement of interest costs, for sites with petroleum contamination, submit a final reimbursement claim within 120 days after they receive a closure letter on their site. For claims not received by the PECFA Program within 120 days of the date of this letter, interest costs after 60 days of the date of this letter will not be eligible for PECFA reimbursement.

Please be aware that the case may be reopened pursuant to s. NR 726.09, Wis. Adm. Code, if additional information regarding site conditions indicates that contamination on or from the site poses a threat to public health, safety, or welfare or to the environment.

We appreciate your efforts to restore the environment at this site. If you have any questions regarding this letter, please contact me at 715-582-5048.

Sincerely,



Cathy Rodda
Hydrogeologist
Remediation & Redevelopment Program

cc: Bill Phelps – DG/2 (electronic copy only)
Mark Foht – Northern Environmental, 954 Circle Dr., Green Bay, WI 54304
File

539894

WILLIAM J. SCHROEDER, a single man and ROBERT R. SCHROEDER, a single man, dba SCHROEDER SAND AND GRAVEL A partnership, consisting of all of the partners,

conveys and warrants to CRIVITZ REDI-MIX, INC., A Wisconsin corporation

1995 JUN -5 PM 2:32

REGISTER OF DEEDS
OF MARINETTE COUNTY, WIS.

J5234 110

the following described real estate in Marinette County,
State of Wisconsin:

RETURN TO
BOYLE & BOYLE, S. C. 1400
2100 Ella Court, Suite 104
Marinette, WI 54143

See reverse side

Tax Parcel No:

Parcel # One: The Northwest Quarter of the Northeast Quarter (NW 1/4 NE 1/4) of Section Twenty-two (22), Township Thirty-two (32) North, Range Twenty (20) East, EXCEPTING (See Exhibit "A" attached hereto and made a part of this deed)

Parcel #Two The Southeast Quarter of the Southeast Quarter (SE 1/4 SE 1/4) of Section Fifteen (15), Township Thirty-two (32) North, Range Twenty (20) East; EXCEPTING THEREFROM the East 400 feet.

Legal description continued on reverse side of deed.

THIS DEED IS GIVEN IN FULFILLMENT OF A LAND CONTRACT DATED 30TH SEPTEMBER, 1986 AND RECORDED 24TH APRIL, 1990, IN JACKET 3245, IMAGE 20-23 IN THE REGISTER OF DEEDS OFFICE FOR MARINETTE COUNTY, WISCONSIN.

The grantors do not warranty the premises against acts or omissions of the grantee from and after the date of said land contract.

This is not homestead property.
(is) (is not)



Exception to warranties: easements, reservations, restrictions, exceptions and conditions of record.

Dated this 31 day of May, 19 95.

William J. Schroeder (SEAL)
William J. Schroeder

Robert R. Schroeder (SEAL)
Robert R. Schroeder

(SEAL)

(SEAL)

IDENTIFICATION

Signature(s)

authenticated this day of 19 95

ACKNOWLEDGMENT

STATE OF WISCONSIN

MARINETTE County.

Personally came before me this 31 day of May 19 95 the above named William J. Schroeder and Robert R. Schroeder

TITLE: MEMBER STATE BAR OF WISCONSIN

(If not authorized by § 706.06, Wis. Stats.)

THIS INSTRUMENT WAS DRAFTED BY

BOYLE & BOYLE, S. C.

BY: Francis M. Boyle, Jr./ib

(Signatures may be authenticated or acknowledged. Both are not necessary.)

to me known to be the person who executed the foregoing instrument and acknowledge the same

Francis M. Boyle, Jr.

Notary Public County, Wis.
My Commission is permanent (If not, state expiration date: 19 95)

*Names of persons signing in any capacity should be typed or printed below their signatures.

86-R-12834

PARCEL THREE

J5234 I11

The Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of Section Fifteen (15), Township Thirty-two (32) North, Range Twenty (20) East.

EXCEPTING THEREFROM, that part, if any, of the aforesaid Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) situated West of Old Highway 141.

ALSO EXCEPTING THEREFROM

That part of the Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of Section Fifteen (15), Township Thirty-two (32) North, Range Twenty (20) East, being described as follows:

Commencing at the Northwest (NW) corner of the Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of said Section Fifteen (15); thence South 89 degrees 54 minutes 40 seconds East along the north line thereof 368.55 feet to the Easterly line of a Town Highway for a Place of Beginning; thence continuing South 89 degrees 54 minutes 40 seconds East along said north line 352.45 feet; thence South 22 degrees 07 minutes 40 seconds West 600.0 feet; thence North 69 degrees 54 minutes 40 seconds West along a line parallel to the north line of the Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of said Section Fifteen (15), 352.45 feet to the Easterly line of said Town Highway; thence North 22 degrees 07 minutes 40 seconds East along said Easterly line 600.0 feet to the place of beginning. (Note: Bearings used in the above description are assumed and are not to be used in relation to a true north bearing.)

PARCEL FOUR

That part of Government Lot Two (2) of Section Eighteen (18), Township Thirty-one (31) North, Range Twenty-one (21) East, described as:

Beginning at the Northeast (NE) corner of said Government Lot Two (2); thence West, on the North line thereof, 950 feet; thence South, parallel with the West line of Government Lot Two (2), a distance of 456 feet; thence West, parallel with said North line, 478.32 feet, more or less, to the West line aforesaid; thence South, on said West line to the Southwest (SW) corner of Government Lot Two (2); thence East, on the South line thereof, to the Southeast (SE) corner of Government Lot Two (2); thence North, on the East line thereof, to the point of beginning.

PARCEL FIVE

That part of the Southeast Quarter of the Southwest Quarter (SE1/4 SW1/4) and That part of the Southwest Quarter of the Southeast Quarter (SW1/4 SE1/4) of Section Fifteen (15), Township Thirty-two (32) North, Range Twenty (20) East, more particularly described as follows, to-wit:

Beginning at the quarter corner to Sections Fifteen (15) and Twenty-two (22); thence West on the line between Sections Fifteen (15) and Twenty-two (22) a distance of 132.60 feet to Old Highway #141; thence North 18 degrees 45 minutes East, along East side of said Road 515.02 feet; thence North 22 degrees 03 minutes East along said Road 184.78 feet; thence South 78 degrees 45 minutes East along a Private Road 90.91 feet; thence South 44 degrees 17 minutes East along said Road, 199.69 feet; thence South 00 degrees 05 minutes West a distance of 498.58 feet to the line between Sections Fifteen (15) and Twenty-two (22); thence West on said Section line 330.0 feet to the Point of Beginning, AND SUBJECT TO easement agreement dated 20 April 1990 (See Exhibit A attached hereto and made a part of this deed)

Tax parcel numbers:

Parcel # 1 : 032-02618-000
Parcel # 2 : 032-02461-000
Parcel # 3 : 032-02457-000
Parcel # 4 : 016-00420-000

J5234 I11

J5234 112

EXHIBIT "A" ATTACHED TO WARRANTY DEED FROM WILLIAM J. SCHROEDER a single man and ROBERT R. SCHROEDER, a single man, dba SCHROEDER SAND AND GRAVEL to CRIVITZ REDI-MIX, INC. DATED May 31, 1995.

AS TO PARCEL ONE: (EXCEPTION continued)...

Part of the Northwest Quarter of the Northeast Quarter (NW1/4 of NE1/4) of Section Twenty-two (22), Township Thirty-two (32) North, Range Twenty (20) East, described as:

Beginning at the North quarter corner of said Section 22 as marked by a 1 1/4 inch brass capped pipe; thence South 89 degrees 41 minutes 07 seconds East along the North line of the said Northwest Quarter of the Northeast Quarter (NW1/4 of NE1/4), 209.00 feet to a 1 1/4 inch diameter pipe; thence South 00 degrees 29 minutes 22 seconds East, 209.00 feet to a 1 1/4 inch diameter pipe; thence North 89 degrees 41 minutes 07 seconds West, 209.00 feet to a 1 1/4 inch diameter pipe on the West line of the said Northwest Quarter of the Northeast Quarter (NW1/4 of NE1/4); thence North 00 degrees 29 minutes 22 seconds West along said West line, 209.00 feet to the point of beginning.


AS TO PARCEL FIVE: Easement Agreement dated 20 April, 1990 between Crivitz Redi-Mix, Inc., William Schroeder and Robert Schroeder to Donald Karban and Susan Karban and their heirs and assigns. Easement will be for ingress and egress purposes, recorded in JKT 3245, IM26 on April 24, 1990.

REGISTER OF DEEDS
OF MARINETTE COUNTY, WIS.

1995 JUN - 5 PM 2:32

539894

RECORDED



QUADRANGLE LOCATION

BASE MAP SOURCE: USGS CRIVITZ, WISCONSIN 7.5 MINUTE QUADRANGLE, 1973

DRAWN BY: KRE PROJECT: CRM-1240 DATE: 07/10/01

REV. DATE

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.




Northern EnvironmentalSM
Hydrologists • Engineers • Geologists

CRIVITZ REDI- MIX
CRIVITZ, WISCONSIN

SITE LOCATION AND
LOCAL TOPOGRAPHY



FIGURE 1



S:\PROJ\CRM\22001240\DRAWINGS\080801-3.DWG

DRAWN BY: KRE PROJECT: CRM-1240 DATE: 08/08/01

REV. DATE
8/27/02

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.



Northern EnvironmentalSM
Hydrologists • Engineers • Geologists

CRIVITZ REDI MIX
CRIVITZ, WISCONSIN

MONITORING WELL AND
SUMP LOCATIONS

FIGURE 4

Table 5 Ground-Water Analytical Results, Crivitz Redi Mix, Crivitz, Wisconsin

Well ID	Date Sampled	Relevant and Significant VOC Analytical Results (µg/l)									Relevant and Significant PAH Analytical Results (µg/l)			
		Lead	Benzene	n-Butylbenzene	Ethylbenzene	MTBE	Naphthalene	Toluene	Trimethylbenzenes	Xylenes	Acenaphthene	1-Methylnaphthalene	2-Methylnaphthalene	Naphthalene
NR 140 Preventive Action Limit (µg/l)		1.5	0.5	NE	50	12	8	200	96	1,000	NE	NE	NE	8
NR 140 Enforcement Standard (µg/l)		15	5	NE	250	60	40	1,000	480	10,000	NE	NE	NE	40
Shop Well	06/11/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
Pit Well	06/11/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
	10/10/01	---	< 0.30	---	< 0.30	< 0.30	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	0.7	< 0.40	< 1.3	< 0.40	1.2	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	07/08/02	---	< 0.43	---	< 0.49	< 0.49	< 1.4	< 0.63	< 1.14	< 1.5	---	---	---	---
	12/06/02	---	< 0.45	---	< 0.82	< 0.43	< 0.89	< 0.68	< 1.86	< 2.47	---	---	---	---
Trailer Well	09/25/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
Sump	06/27/01	4.5	690	200	1,500	< 550	1,200	12,000	3,000	12,000	48	51	94	350
	04/18/02	1.9	590	---	1,700	< 20	610	12,000	3,240	16,100	---	---	---	---
	07/08/02	< 0.66	5.5	---	50	< 0.49	22	180	135	520	---	---	---	---
	12/06/02	---	22	---	630	< 4.3	420	1,300	2,370	7,300	---	---	---	---
MW100	07/17/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
	10/10/01	---	< 0.30	---	< 0.30	< 0.30	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
MW200	07/17/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
	10/10/01	---	< 0.30	---	< 0.30	< 0.30	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	12/06/02	---	< 0.45	---	< 0.82	< 0.43	< 0.89	< 0.68	< 1.86	< 2.47	---	---	---	---
MW300	07/17/01	---	< 0.40	---	< 0.40	< 0.40	< 1.0	< 0.40	< 0.80	< 1.10	---	---	---	---
	10/10/01	---	< 0.30	---	< 0.30	< 0.30	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	07/08/02	---	< 0.43	---	< 0.49	< 0.49	< 1.4	< 0.63	< 1.14	< 1.5	---	---	---	---
	12/06/02	---	< 0.45	---	< 0.82	< 0.43	< 0.89	< 0.68	< 1.86	< 2.47	---	---	---	---
MW400	07/17/01	---	180	---	62	0.91 J	33	< 4.0	78.7	208	---	---	---	---
	10/10/01	< 1.4	900	---	410	< 15	120	71	309	1,150	---	---	---	---
	01/15/02	---	1,600	---	710	< 20	180	540	607	2,540	---	---	---	---
	04/18/02	---	620	---	440	< 20	130	690	570	2,520	---	---	---	---
	07/08/02	---	13	---	5.5	< 0.49	4.6 J	< 0.63	9	14	---	---	---	---
	12/06/02	---	400	---	290	1.9	65	20	230	890	---	---	---	---
MW600	10/10/01	---	< 0.30	---	< 0.30	< 0.30	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
MW700	10/10/01	---	< 0.30	---	< 0.30	0.58 J	< 0.25	< 0.29	< 0.60	< 1.0	---	---	---	---
	01/15/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---
	04/18/02	---	< 0.40	---	< 0.40	< 0.40	< 1.3	< 0.40	< 0.90	< 1.4	---	---	---	---

Key:

µg/l = micrograms per liter

MTBE = Methyl-Tertiary-Butyl-Ether


NE = Not established by Wisconsin Administrative Code

J = Analyte detected between Limit of Detection and Limit of Quantification

--- = Not Analyzed

62 = NR 140 Preventive Action Limit Exceeded

1,600 = NR 140 Enforcement Standard Exceeded



DRAWN BY: KRE PROJECT: CRM-1240 DATE: 08/08/01

REV. DATE
8/27/02

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.




Northern Environmental SM
Hydrologists • Engineers • Geologists

CRIVITZ REDI MIX
CRIVITZ, WISCONSIN

MONITORING WELL AND
SUMP LOCATIONS

FIGURE 4

S:\PROJ\CRM\22001240\DRAWINGS\020703-9.DWG



DRAWN BY: KRE PROJECT: CRM-1240 DATE: 02/07/03

REV. DATE

THIS DRAWING AND ALL INFORMATION CONTAINED THEREON IS THE PROPERTY OF NORTHERN ENVIRONMENTAL INCORPORATED AND SHALL NOT BE COPIED OR USED EXCEPT FOR THE PURPOSE FOR WHICH IT IS EXPRESSLY FURNISHED.



Northern Environmental
Hydrologists • Engineers • Geologists

CRIVITZ REDI MIX
CRIVITZ, WISCONSIN

GROUND-WATER FLOW DIRECTION
DECEMBER 6, 2002

FIGURE 9


Table 1 Water Level Data, Crivitz Redi Mix, Crivitz, Wisconsin

Well I.D.	Ground Surface Elevation (feet)	Riser Elevation (feet)	Date	Depth to Water (feet)		Water Table Elevation (feet)
				Below Riser	Below Grade	
MW100	99.86	102.25	07/17/01	13.47	11.08	88.78
			08/16/01	14.19	11.80	88.06
	99.83	102.18	08/29/01	13.76	11.41	88.42
			09/21/01	14.44	12.09	87.74
			10/10/01	14.58	12.23	87.60
			01/15/02	14.00	11.65	88.18
			04/18/02	11.38	9.03	90.80
			07/08/02	10.55	8.20	91.63
			12/06/02	11.57	9.22	90.61
MW200	99.30	98.73	07/17/01	10.01	10.58	88.72
			08/16/01	10.77	11.34	87.96
	99.25	98.75	08/29/01	10.32	10.82	88.43
			09/21/01	11.00	11.50	87.75
			10/10/01	11.15	11.65	87.60
			01/15/02	10.54	11.04	88.21
			04/18/02	7.95	8.45	90.80
			07/08/02	7.14	7.64	91.61
			12/06/02	8.15	8.65	90.60
MW300	99.98	99.33	07/17/01	9.10	9.75	90.23
			08/16/01	10.03	10.68	89.30
	99.86	99.22	08/29/01	9.68	10.32	89.54
			09/21/01	10.24	10.88	88.98
			10/10/01	10.43	11.07	88.79
			01/15/02	9.85	10.49	89.37
			04/18/02	7.54	8.18	91.68
			07/08/02	6.91	7.55	92.31
			12/06/02	7.79	8.43	91.43
MW400	98.63	97.97	07/17/01	9.26	9.92	88.71
			08/16/01	9.91	10.57	88.06
	98.53	97.85	08/29/01	9.51	10.19	88.34
			09/21/01	10.22	10.90	87.63
			10/10/01	10.39	11.07	87.46
			01/15/02	9.85	10.53	88.00
			04/18/02	7.40	8.08	90.45
			07/08/02	6.18	6.86	91.67
			12/06/02	7.34	8.02	90.51
MW600	101.86	105.32	10/10/01	17.82	14.36	87.50
			01/15/02	17.22	13.76	88.10
			04/18/02	14.75	11.29	90.57
			07/08/02	13.74	10.28	91.58
			12/06/02	14.86	11.40	90.46
MW700	97.96	97.51	10/10/01	10.34	10.79	87.17
			01/15/02	9.80	10.25	87.71
			04/18/02	7.37	7.82	90.14
			12/06/02	7.23	7.68	90.28
Sump	99.30	98.64	07/17/01	10.77	11.43	87.87
			08/16/01	9.56	10.22	89.08
	99.19	98.55	08/29/01	9.71	10.35	88.84
			09/21/01	9.78	10.42	88.77
			10/10/01	9.72	10.36	88.83
			04/18/02	7.80	8.44	90.75
			07/08/02	6.81	7.45	91.74
			12/06/02	7.95	8.59	90.60

To Whom It May Concern:

Enclosed please find the Warranty Deed for Marinette County parcel number 32-02457.001, which is owned by Crivitz Redi-Mix, Inc., N7820 Old Highway 141, Crivitz, Wisconsin. There are five parcels on the warranty deed. Parcel three is the parcel on which the petroleum release occurred. I have reviewed this information and found it to be complete and accurate.

Sincerely,

A handwritten signature in cursive script, appearing to read "Eugene J. Golla".

Mr. Eugene Golla
Crivitz Redi-Mix